

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
<b>ALAMBRE DESNUDO - COBRE</b>		
31303326000R	A Cu DDO BLANDO 8 AWG	\$ <b>4.772</b>
31303259000R	A Cu DDO BLANDO 10 AWG	\$ <b>3.127</b>
31303259100R	A Cu DDO BLANDO 10 AWGx100m	\$ <b>3.127</b>
31303205000R	A Cu DDO BLANDO 12 AWG	\$ <b>1.882</b>
31303163000R	A Cu DDO BLANDO 14 AWG	\$ <b>1.228</b>
<b>CABLE DESNUDO - COBRE</b>		
31321038000C	C Cu DDO BLANDO 350 kcmil (B) 37H	\$ <b>113.651</b>
31321034000C	C Cu DDO BLANDO 250 kcmil (B) 37H	\$ <b>80.943</b>
31319011000C	C Cu DDO BLANDO 4/0 AWG (B) 19H	\$ <b>65.026</b>
31321028000C	C Cu DDO BLANDO 2/0 AWG (B) 19H	\$ <b>42.004</b>
31321026000C	C Cu DDO BLANDO 1/0 AWG (B) 19H	\$ <b>33.409</b>
31321024000C	C Cu DDO BLANDO 2 AWG (B) 7H	\$ <b>20.032</b>
31321022000C	C Cu DDO BLANDO 4 AWG (B) 7H	\$ <b>12.578</b>
31321020000C	C Cu DDO BLANDO 6 AWG (B) 7H	\$ <b>8.038</b>
31321018000C	C Cu DDO BLANDO 8 AWG (B) 7H	\$ <b>5.197</b>
<b>CABLE THHW - ALUMINIO</b>		
32352430101C	C THHW 500 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	\$ <b>35.695</b>
32352410101C	C THHW 400 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	\$ <b>30.235</b>
32352400101C	C THHW 350 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	\$ <b>27.683</b>
32352390101C	C THHW 300 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	\$ <b>23.771</b>
32352380101C	C THHW 250 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	\$ <b>21.084</b>
32352370101C	C THHW 4/0 AWG (107.2 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	\$ <b>17.317</b>
32352360101C	C THHW 3/0 AWG (85.0 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	\$ <b>14.209</b>
32352350101C	C THHW 2/0 AWG (67.4 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	\$ <b>12.221</b>

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
32352340101C	C THHW 1/0 AWG (53.5 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	\$ <b>10.172</b>
32352320101C	C THHW 2 AWG (33.6 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	\$ <b>6.148</b>
32352802001C	C THHW 4 AWG AL-8176 600V 90°C CT	\$ <b>4.315</b>
32352801501C	C THHW 6 AWG AL-8176 600V 90°C CT	\$ <b>3.245</b>
<b>ALAMBRE THHN/THWN-2 - COBRE</b>		
31353140001R	A THHN/THWN-2 CT 8 AWG 600V 90°C NGO	\$ <b>5.350</b>
31353100001R	A THHN/THWN-2 CT 10 AWG 600V 90°C NGO	\$ <b>3.260</b>
31353080001R	A THHN/THWN-2 CT 12 AWG 600V 90°C NGO	\$ <b>2.019</b>
31353060001R	A THHN/THWN-2 CT 14 AWG 600V 90°C NGO	\$ <b>1.355</b>
<b>CABLE THHN/THWN-2 - COBRE</b>		
31353420001C	C THHN/THWN-2 CT 500 kcmil Cu 600V 90°C 37H NGO	\$ <b>178.324</b>
31353381001C	C THHN/THWN-2 CT 400 kcmil Cu 600V 90°C 37H NGO	\$ <b>140.248</b>
31353361001C	C THHN/THWN-2 CT 350 kcmil Cu 600V 90°C 37H NGO	\$ <b>127.954</b>
31353341001C	C THHN/THWN-2 CT 300 kcmil Cu 600V 90°C 37H NGO	\$ <b>109.764</b>
31353321001C	C THHN/THWN-2 CT 250 kcmil Cu 600V 90°C 37H NGO	\$ <b>91.224</b>
31353150001C	C THHN/THWN-2 CT 4/0 AWG UDC Cu 600V 90°C 19H NGO	\$ <b>74.501</b>
31353149001C	C THHN/THWN-2 CT 3/0AWG UDC Cu 600V 90°C CT NGO	\$ <b>59.709</b>
31353148001C	C THHN/THWN-2 CT 2/0 AWG UDC Cu 600V 90°C 19H NGO	\$ <b>47.765</b>
31353147001C	C THHN/THWN -2 CT 1/0 AWG UDC 600V 90C CT 19H NGO	\$ <b>38.526</b>
31353209901C	C THHN/THWN-2 CT 2 AWG Cu 600V 90°C 7H (XD) NGO	\$ <b>23.287</b>
31353189901C	C THHN/THWN-2 CT 4 AWG Cu 600V 90°C 7H (XD) NGO	\$ <b>15.533</b>
31353169901C	C THHN/THWN-2 CT 6 AWG Cu 600V 90°C 7H (XD) NGO	\$ <b>9.583</b>
31353149901C	C THHN/THWN-2 CT 8 AWG Cu 600V 90°C 7H (XD) NGO	\$ <b>6.196</b>
31353101001C	C THHN/THWN-2 CT 10 AWG Cu 600V 90°C 7H NGO	\$ <b>3.927</b>
31353081001C	C THHN/THWN-2 CT 12 AWG Cu 600V 90°C 7H NGO CT	\$ <b>2.564</b>
31353061001C	C THHN/THWN-2 CT 14 AWG Cu 600V 90°C 7H NGO	\$ <b>1.798</b>

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
31434082000C	C TRIPLEX 3X12 AWG Cu-PVC/NYLON 600V 90°C BCO-VDE-RJO	\$ <b>8.442</b>
31434083000C	C TRIPLEX 3X12 AWG Cu-PVC/NYLON 600V 90°C BCO-VDE-AZL	\$ <b>8.442</b>
<b>ACOMETIDA TSEC ANTIFRAUDE - COBRE</b>		
31404264001C	C TSEC 2x6+6 AWG Cu-XLPUV/PE 600V 90°C NGO	\$ <b>35.866</b>
31403141901C	C TSEC PL 2x8+8 AWG Cu CPR PE 600V 75°C PVC-SR	\$ <b>22.721</b>
31404244901C	C TSEC 2x8+8 AWG Cu CPR XLPE-SR 600V 90°C PE	\$ <b>23.857</b>
31404145001C	C TSEC 8+8 AWG Cu-PE/PVC 600V 75°C CDSA NGO	\$ <b>14.105</b>
31404344901C	C TSEC 3x8+8 AWG Cu CPR PE 600V 75°C PVC-SR	\$ <b>30.999</b>
<b>ACOMETIDA TIPO TREBOL - COBRE</b>		
31405215001C	C ACOMET 3X2(C)+4(C) AWG Cu- PVC/PE 600V 75°C TRB	<b>100.739</b>
31405170001C	C ACOMET 3x4+6 AWG Cu-PE-FIB/ PVC 600V 75°C TRB CDSA NGO	\$ <b>64.208</b>
31405165001C	C ACOMET 3x6+8 AWG Cu-PE-FIB/ PVC 600V 75°C TRB CDSA NGO	\$ <b>39.069</b>
31405145001C	C ACOMET 3X8+10 AWG Cu-PE/PVC 600V 75°C CDSA NGO	\$ <b>26.460</b>
<b>ACOMETIDA TSEC ANTIFRAUDE - ALUMINIO</b>		
32403283201C	C TSEC 2x6+6 AWG AA8000(B) CPT XLPE SR 600 V90°C XLPE SR	\$ <b>12.294</b>
32403302201C	C TSEC 2x4+4AWG AA8000 (B) CPT XLPE SR 600V 90°C XLPE FR SR	\$ <b>12.258</b>
32404161601C	C TSEC 6+6 AWG AA-8000 XLPE-UV PVC 600V 90°C P4 (CPT)	\$ <b>6.398</b>
<b>CABLES EXZHELLENT BW - COBRE</b>		
31352611601C	C EXZHELLENT BW 500 kcmil Cu CPR HFFR LS 600V 75°C CT	\$ <b>187.388</b>
31352611401C	C EXZHELLENT BW 350 kcmil Cu CPR HFFR LS 600V 75°C CT	\$ <b>133.171</b>
31352611301C	C EXZHELLENT BW 300 kcmil Cu CPR HFFR LS 600V 75°C CT	\$ <b>113.780</b>
31352611201C	C EXZHELLENT BW 250 kcmil Cu CPR HFFR LS 600V 75°C C	\$ <b>95.146</b>
31352611101C	C EXZHELLENT BW 4/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	\$ <b>81.887</b>
31352611001C	C EXZHELLENT BW 3/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	\$ <b>64.019</b>

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
31352610901C	C EXZHELLENT BW 2/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	\$ <b>52.002</b>
31352610801C	C EXZHELLENT BW 1/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	\$ <b>41.535</b>
31352610601C	C EXZHELLENT BW 2 AWG Cu CPR HFFR LS 600V 75°C CT	\$ <b>25.693</b>
31352610501C	C EXZHELLENT BW 4 AWG Cu CPR HFFR LS 600V 75°C CT	\$ <b>16.670</b>
31352610401C	C EXZHELLENT BW 6 AWG Cu CPR HFFR LS 600V 75°C CT	\$ <b>10.612</b>
31352610301C	C EXZHELLENT BW 8 AWG Cu CPR HFFR LS 600V 75°C CT	\$ <b>6.581</b>
31352610201C	C EXZHELLENT BW 10 AWG Cu CPR HFFR LS 600V 75°C CT	\$ <b>4.347</b>
31352610101C	C EXZHELLENT BW 12 AWG Cu HFFR LS 600V 75°C CT	\$ <b>2.749</b>
31352601001C	C EXZHELLENT BW 14 AWG Cu HFFR LS 600V 75°C NGO	\$ <b>1.961</b>
31352612001C	C EXZHELLENT BW 3x12 AWG Cu CPR HFFR LS 600V 75°C CT RJO/BCO	\$ <b>8.681</b>
31352612101C	C EXZHELLENT BW 3x12 AWG Cu CPR HFFR LS 600V 75°C CT AZL/BCO	\$ <b>8.681</b>
<b>CABLES EXZHELLENT BW - ALUMINIO</b>		
32354611601C	C EXZHELLENT BW 500 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>40.373</b>
32354611501C	C EXZHELLENT BW 400 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>35.306</b>
32354611401C	C EXZHELLENT BW 350 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>31.100</b>
32354611301C	C EXZHELLENT BW 300 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>26.482</b>
32354611201C	C EXZHELLENT BW 250 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>24.343</b>
32354611101C	C EXZHELLENT BW 4/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>19.892</b>
32354611001C	C EXZHELLENT BW 3/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>17.100</b>
32354610901C	C EXZHELLENT BW 2/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>14.452</b>
32354610801C	C EXZHELLENT BW 1/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>11.533</b>
32354610601C	C EXZHELLENT BW 2 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	\$ <b>7.066</b>
32354610501C	C EXZHELLENT BW 4 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C C	\$ <b>5.056</b>
32354610401C	C EXZHELLENT BW 6 AWG AA8000 (SIW) PT HFFR LS 600V 75°C CT	\$ <b>3.677</b>
<b>SPT-CPE (DÚPLEX) COBRE</b>		
31369100002R	C DUPLEX CPE SPT 2x10 AWG Cu (J) PVC 300V 60°C BCO	\$ <b>8.062</b>

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
31369081002R	C DUPLEX CPE SPT 2x12 AWG Cu-PVC 300V 60°C BCO	\$ <b>5.184</b>
31369065002R	C DUPLEX CPE SPT 2x14 AWG Cu-PVC 300V 60°C BCO	\$ <b>3.296</b>
31369041002R	C DUPLEX CPE SPT 2x16 AWG Cu-PVC 300V 60°C BCO	\$ <b>2.274</b>
31369019002R	C DUPLEX CPE SPT 2x18 AWG Cu-PVC 300V 60°C BCO	\$ <b>1.489</b>
<b>CABLE SOLDADOR ET 105 °C COBRE</b>		
31366370101C	C SOLDADOR TVE 4/0 AWG Cu (J) 600 V 105°C	\$ <b>82.373</b>
31366350101C	C SOLDADOR TVE 2/0 AWG Cu 600V 375A 105°C	\$ <b>51.583</b>
31366340101C	C SOLDADOR TVE 1/0 AWG Cu 600V 105°C 170A NGO	\$ <b>40.806</b>
31366320101C	C SOLDADOR TVE 2 AWG Cu 600V 105°C 170A NGO	\$ <b>26.414</b>
31366300101C	C SOLDADOR TVE 4 AWG CU 600V 105°C 170 A NGO	\$ <b>17.442</b>
31366280101C	C SOLDADOR TVE 6 AWG Cu 600V 105°C 125A	\$ <b>12.072</b>
<b>CABLE SGT BATERÍA COBRE</b>		
31365320101C	C SGT BATERIA 2 AWG Cu-PVC 75°C NGO	\$ <b>30.790</b>
31365300101C	C SGT BATERIA 4 AWG Cu-PVC 75°C NGO	\$ <b>21.610</b>
<b>THWN-2 FLEXIBLE COBRE</b>		
31354002801C	C THWN-2 6 AWG Cu (J) PVC/NY 600V 90°C G&O II VW1 CT	\$ <b>10.129</b>
31354002601R	C THWN-2 8 AWG Cu (J) PVC/NY 600V 90°C G&O II VW-1 CT (NGO)	\$ <b>6.932</b>
31354240101R	C THWN-2 10 AWG Cu (J) PVC/NY 600V 90°C G&O II VW-1 CT	\$ <b>4.289</b>
31354220101R	C THWN-2 12 AWG Cu (J) PVC/NY 600V 90°C G&O II VW-1 CT	\$ <b>2.616</b>
31354002001R	C THWN-2 14 AWG Cu (FLEX) PVC/NY 600V 90°C G&O II VW-1 NGO	\$ <b>1.779</b>
31354001801R	C TFFN 16 AWG Cu (FLEX) PVC/NY 600V 90°C G&O II VW-1 NGO	\$ <b>1.112</b>
31354001601R	C TFFN 18 AWG Cu (FLEX) PVC/NY 600V 90°C G&O II VW-1 NGO	\$ <b>744</b>
<b>SUPERFLEX CT COBRE</b>		
31378106101C	C SUPERFLEX 500 Kcmil Cu XLPE FR-SR/PVC 0.6/1 kV 90°C (J) CT	\$ <b>206.745</b>

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
31378105601C	C SUPERFLEX 400 Kcmil Cu XLPE FR SR/PVC 0.6/1 kV 90°C (J) CT	\$ <b>192.708</b>
31378105101C	C SUPERFLEX 350 Kcmil Cu XLPE FR-SR/PVC 0.6/1 kV 90°C (J) CT	\$ <b>143.469</b>
31378104101C	C SUPERFLEX 250 Kcmil Cu XLPE FR-SR/PVC 0.6/1 kV 90°C (J) CT	\$ <b>104.260</b>
31378103601C	C SUPERFLEX 4/0 AWG Cu XLPE FR SR / PVC 0.6/1 kV 90°C (J) CT	\$ <b>87.957</b>
31378102601C	C SUPERFLEX 2/0 AWG Cu XLPE FR SR / PVC 0.6/1 kV 90°C (J) CT	\$ <b>54.163</b>
31378102101C	C SUPERFLEX 1/0 AWG Cu XLPE FR SR / PVC 0.6/1 kV 90°C (J) CT	\$ <b>44.896</b>
<b>TERMOFLEX COBRE</b>		
31371392401C	C TERMOFLEX 4x14 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>8.174</b>
31371392201C	C TERMOFLEX 3x14 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>6.265</b>
31371392001C	C TERMOFLEX 2x14 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>4.762</b>
31371391401C	C TERMOFLEX 4x16 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>5.650</b>
31371391201C	C TERMOFLEX 3x16 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>4.500</b>
31371391001C	C TERMOFLEX 2x16 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>3.260</b>
31371390401C	C TERMOFLEX 4x18 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>4.080</b>
31371390201C	C TERMOFLEX 3x18 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>3.353</b>
31371390001C	C TERMOFLEX 2x18 AWG (FLEX) PVC-NY 600V 90°C PVC	\$ <b>2.392</b>
<b>TERMOFLEX EXZHELLENT</b>		
31352619311C	C EXZHELLENT BW 4x12AWG (FLEX) HFFR-LS/HFFR-LS 600 V 75°C CT	\$ <b>15.036</b>
31376202211C	C EXZHELLENT BW 3x16AWG Cu(FLEX) HFFR-LS/HFFR-LS 600 V 75°C C	\$ <b>4.915</b>
31376202301C	C EXZHELLENT BW3X14AWG CU FLEX HFFR-LS 600V 75°C HFFR-LS CT	\$ <b>8.045</b>
31376222301C	C EXZHELLENT BW3X12AWG Cu(FLEX)HFFR-LS 600V 75°C HFFR-LS CT	\$ <b>10.993</b>
31376242301C	C EXZHELLENT BW3x10AWG Cu(FLEX)HFFR-LS 600V 75C HFFR-LS CT	\$ <b>17.497</b>
<b>TERMOFLEX MULTIPROPÓSITO* COBRE</b>		
31370329401C	C TFLEX MP 4x2 AWG Cu(J) PVC/NY PVC 600V 90°C SR G&O II VW-1CT	\$ <b>122.785</b>
31370309401C	C TFLEX MP 4x4 AWG Cu(J) PVC/NY PVC 600V 90°C SR G&O II VW-1CT	\$ <b>74.663</b>

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
31370289401C	C TFLEX MP 4x6 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>48.930</b>
31370289301C	C TFLEX MP 3x6 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>36.958</b>
31370289201C	C TFLEX MP 2x6 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>26.656</b>
31370269401C	C TFLEX MP 4x8 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>30.990</b>
31370269301C	C TFLEX MP 3x8 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>23.520</b>
31370269201C	C TFLEX MP 2x8 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>16.295</b>
31370249401C	C TFLEX MP 4x10 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>18.999</b>
31370249301C	C TFLEX MP 3x10 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>14.915</b>
31370249201C	C TFLEX MP 2x10 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>10.509</b>
31370229401C	C TFLEX MP 4x12 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>12.272</b>
31370229301C	C TFLEX MP 3x12 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>9.551</b>
31370229201C	C TFLEX MP 2x12 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	\$ <b>7.463</b>
<b>ACSR</b>		
32480055000C	C ACSR 4/0 AWG PENGUIN	\$ <b>11.972</b>
32480040000C	C ACSR 2/0 AWG QUAIL	\$ <b>7.145</b>
32480035000C	C ACSR 1/0 AWG RAVEN	\$ <b>5.936</b>
32480025000C	C ACSR 2 AWG SPARROW	\$ <b>3.784</b>
32480010000C	C ACSR 4 AWG SWAN	\$ <b>2.434</b>
<b>BICAPA</b>		
32580401101C	CBRTO 266,8 Kcmil ACSR (18/1) CPT XLPE TK 15KV 90C BCPA	\$ <b>30.363</b>
32580371101C	CBRTO PENGUIN 4/0 AWG ACSR (6/1)CPT XLPE TK 15KV90°C BCPA	\$ <b>23.776</b>
32580351101C	CBRTO QUAIL 2/0 AWG ACSR CPT XLPE TK 15KV 90°C BCPA	\$ <b>15.244</b>
32580341301C	C CUBIERTO RAVEN 1/0 AWG ACSR (6/1)CPT XLPE-TK15KV90C BICAPA	\$ <b>14.058</b>
32580321101C	CBRTO SPARROW 2 AWG ACSR CPT XLPE TK 15KV 90°C BCPA	\$ <b>10.204</b>
<b>CABLE TRIPLEX Y CUADRUPLEX</b>		

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
32436832400C	C CPLEX 3x95 mm <sup>2</sup> AAC CPR XLP SR + 50 mm <sup>2</sup> AAAC XLPE SR 600V 90°	\$ <b>49.346</b>
32437398500C	C CPLEX 3x70 mm <sup>2</sup> +50mm <sup>2</sup> AAAC XLP 0.6/1 kV 90°C	\$ <b>39.446</b>
32436802400C	C CPLEX 3x35 mm <sup>2</sup> AAC CPR XLP SR + 50 mm <sup>2</sup> AAAC XLPE SR 600V 90°	\$ <b>23.047</b>
32431747000C	C TPX 2x4/0 AWG+246.9 kcmil AAAC XLPE 0.6/1 kcmil AAAC /XLP 0.6/1	\$ <b>53.703</b>
32431745100C	C TPX 2x2/0 AWG AAC(B) XLPE SR+155,4 kcmil AAAC XLPE SR 600V 90°	\$ <b>33.103</b>
32431691000C	C TPX 2x1/0 AWG AL XLPE-SR+123,3 kcmil AAAC/XLPE-UV 600V kcmil A	\$ <b>25.196</b>
32431690000C	C TPX SHRIMP/XLP-FR 2x2+77.47 kcmil AAAC /XLP +77.47 kcmil AAAC	\$ <b>16.561</b>
32431600300C	C TPX COCKLE 2x2 AWG AAC XLPE FR+4 AWG ACSR 600V 90°C	\$ <b>14.452</b>
32431585100C	C TPX PERIWINKLE/XLFR 2x4+4 AWG ACSR 600V 90°C AWG ACSR 600	\$ <b>11.153</b>



**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
<b>CABLES RHW</b>		
32356439101C	C RHW-2 500KCMIL AA 8000 (SIW)	\$ <b>34.117</b>
32356402101C	C RHW-2/USE-2 350Kcmil AA8000	\$ <b>25.644</b>
32356386101C	C RHW-2/USE-2 250kcmilALAA8000	\$ <b>19.719</b>
32356379101C	C RHW-2 4/0 AWG AA8000-CPT	\$ <b>16.355</b>
32356369101C	C RHW-2 3/0AWG AA 8000 (SIW)	\$ <b>13.827</b>
32356359101C	C RHW-2 2/0 AWG AA8000-CPT	\$ <b>13.060</b>
32356349101C	C RHW-2 1/0AWG AA 8000 (SIW)	\$ <b>9.703</b>
32356329101C	C RHW-2 2 AWG AA8000-CPT	\$ <b>5.699</b>
32356304101C	C RHW-2/USE-2 4 AWG AA 8000	\$ <b>4.081</b>
32356284101C	C RHW-2/USE-2 6AWG AL AA8000-B	\$ <b>3.183</b>
<b>CABLES XHHW ALUMINIO</b>		
32356438101C	C XHHW-2 500 kcmilAA8000(SIW)	\$ <b>33.206</b>
32356408101C	C XHHW-2 350 kcmil AA8000(SIW)	\$ <b>24.960</b>
32356388101C	C XHHW-2 250kcmil AA8000 (SIW)	\$ <b>19.195</b>
32356378101C	C XHHW-2 4/0 AWG AA8000 (SIW)	\$ <b>15.197</b>
32356358101C	C XHHW-2 2/0 AWG AA 8000 (SIW)	\$ <b>12.107</b>
32356348101C	C XHHW-2 1/0AWG AL AA8000(SIW)	\$ <b>9.015</b>
32356328101C	C XHHW-2 2AWG AL AA8000(SIW)	\$ <b>5.811</b>
<b>CABLES XHHW COBRE</b>		
31356431101C	C XHHW-2 500kcmil Cu(B) CPR	\$ <b>204.299</b>
31356408101C	C XHHW-2 350 Kcmil Cu (B) CPR	\$ <b>144.588</b>
31356361101C	C XHHW-2 3/0 AWG(UDC) CPR XLPE	\$ <b>69.078</b>
31356341101C	C XHHW-2 1/0 AWG UDC CPR XLPE	\$ <b>44.552</b>
31356321101C	C XHHW-2 2 AWG CU(B) CPR XLPE	\$ <b>27.888</b>
31356301101C	C XHHW-2 4AWG Cu(B) CPR XLPE	\$ <b>18.746</b>

**LISTA VIGENTE DESDE:SEPTIEMBRE 2-2022**

<b>Código Procables</b>	<b>Descripción del producto</b>	<b>Precio Lista 77A</b>
31356035001C	C XHHW-2 6 AWG Cu 600V 90°C 7H NGO	\$ <b>11.418</b>
<b>CABLES SOLARES/FOTOVOLTAICOS</b>		
31399000693C	C PV 4mm2 Cu (FLEX) XLPE SR 2000V 90°C PVC NGO/RJO	\$ <b>4.922</b>
31399000601C	C PV 4mm2 Cu (FLEX) XLPE SR 2000V 90°C PVC	\$ <b>4.922</b>
31399000701C	C PV 6mm Cu(FLEX) XLPE SR 2000V 90°C PVC	\$ <b>6.982</b>
31399000793C	C PV 6mm Cu(FLEX) XLPE SR 2000V 90°C PVC NGO/RJO	\$ <b>6.982</b>