

Código Procables	Descripción del producto	Precio Lista 73
<b>ALAMBRE DESNUDO - COBRE</b>		
3130326000R	A Cu DDO BLANDO 8 AWG	COP 4.588
31303259000R	A Cu DDO BLANDO 10 AWG	COP 2.780
31303259100R	A Cu DDO BLANDO 10 AWGx100m	COP 2.780
31303205000R	A Cu DDO BLANDO 12 AWG	COP 1.721
31303163000R	A Cu DDO BLANDO 14 AWG	COP 1.228
<b>CABLE DESNUDO - COBRE</b>		
31321038000C	C Cu DDO BLANDO 350 kcmil (B) 37H	COP 101.061
31321034000C	C Cu DDO BLANDO 250 kcmil (B) 37H	COP 71.976
31319011000C	C Cu DDO BLANDO 4/0 AWG (B) 19H	COP 59.529
31321028000C	C Cu DDO BLANDO 2/0 AWG (B) 19H	COP 38.071
31321026000C	C Cu DDO BLANDO 1/0 AWG (B) 19H	COP 30.872
31321024000C	C Cu DDO BLANDO 2 AWG (B) 7H	COP 18.689
31321022000C	C Cu DDO BLANDO 4 AWG (B) 7H	COP 11.852
31321020000C	C Cu DDO BLANDO 6 AWG (B) 7H	COP 7.572
31321018000C	C Cu DDO BLANDO 8 AWG (B) 7H	COP 4.707
<b>CABLE THHW - ALUMINIO</b>		
32352430101C	C THHW 500 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	COP 25.071
32352410101C	C THHW 400 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	COP 20.386
32352400101C	C THHW 350 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	COP 18.845
32352390101C	C THHW 300 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	COP 15.804
32352380101C	C THHW 250 kcmil AA8000-CPT (SIW) PVC 600V 90°C CT	COP 14.491
32352370101C	C THHW 4/0 AWG (107.2 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	COP 11.472
32352360101C	C THHW 3/0 AWG (85.0 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	COP 10.160
32352350101C	C THHW 2/0 AWG (67.4 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	COP 9.597
32352340101C	C THHW 1/0 AWG (53.5 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	COP 6.805
32352320101C	C THHW 2 AWG (33.6 mm <sup>2</sup> ) AA8000 CPT(SIW) PVC 600V 90°C CT	COP 4.188
32352802001C	C THHW 4 AWG AL-8176 600V 90°C CT	COP 2.862
32352801501C	C THHW 6 AWG AL-8176 600V 90°C CT	COP 2.146
<b>ALAMBRE THHN/THWN-2 - COBRE</b>		
31353140001R	A THHN/THWN-2 CT 8 AWG 600V 90°C NGO	COP 4.799
31353100001R	A THHN/THWN-2 CT 10 AWG 600V 90°C NGO	COP 2.923
31353080001R	A THHN/THWN-2 CT 12 AWG 600V 90°C NGO	COP 1.845
31353060001R	A THHN/THWN-2 CT 14 AWG 600V 90°C NGO	COP 1.263
<b>CABLE THHN/THWN-2 - COBRE</b>		
31353420001C	C THHN/THWN-2 CT 500 kcmil Cu 600V 90°C 37H NGO	COP 164.791
31353381001C	C THHN/THWN-2 CT 400 kcmil Cu 600V 90°C 37H NGO	COP 130.950
31353361001C	C THHN/THWN-2 CT 350 kcmil Cu 600V 90°C 37H NGO	COP 115.935
31353341001C	C THHN/THWN-2 CT 300 kcmil Cu 600V 90°C 37H NGO	COP 98.507
31353321001C	C THHN/THWN-2 CT 250 kcmil Cu 600V 90°C 37H NGO	COP 81.836
31353150001C	C THHN/THWN-2 CT 4/0 AWG UDC Cu 600V 90°C 19H NGO	COP 68.197
31353149001C	C THHN/THWN-2 CT 3/0AWG UDC Cu 600V 90°C CT NGO	COP 55.175
31353148001C	C THHN/THWN-2 CT 2/0 AWG UDC Cu 600V 90°C 19H NGO	COP 42.650
31353147001C	C THHN/THWN -2 CT 1/0 AWG UDC 600V 90C CT 19H NGO	COP 34.577
31353209901C	C THHN/THWN-2 CT 2 AWG Cu 600V 90°C 7H (XD) NGO	COP 21.520
31353189901C	C THHN/THWN-2 CT 4 AWG Cu 600V 90°C 7H (XD) NGO	COP 14.078
31353169901C	C THHN/THWN-2 CT 6 AWG Cu 600V 90°C 7H (XD) NGO	COP 8.681
31353149901C	C THHN/THWN-2 CT 8 AWG Cu 600V 90°C 7H (XD) NGO	COP 5.532
31353101001C	C THHN/THWN-2 CT 10 AWG Cu 600V 90°C 7H NGO	COP 3.627
31353081001C	C THHN/THWN-2 CT 12 AWG Cu 600V 90°C 7H NGO CT	COP 2.391
31353061001C	C THHN/THWN-2 CT 14 AWG Cu 600V 90°C 7H NGO	COP 1.692
31434082000C	C TRIPLEX 3X12 AWG Cu-PVC/NYLON 600V 90°C BCO-VDE-RJO	COP 7.651
31434083000C	C TRIPLEX 3X12 AWG Cu-PVC/NYLON 600V 90°C BCO-VDE-AZL	COP 7.651
<b>ACOMETIDA TSEC ANTIFRAUDE - COBRE</b>		
31404264001C	C TSEC 2x6+6 AWG Cu-XLPUV/PE 600V 90°C NGO	COP 28.934
31403141901C	C TSEC PL 2x8+8 AWG Cu CPR PE 600V 75°C PVC-SR	COP 18.880
31404244901C	C TSEC 2x8+8 AWG Cu CPR XLPE-SR 600V 90°C PE	COP 20.001
31404145001C	C TSEC 8+8 AWG Cu-PE/PVC 600V 75°C CDSA NGO	COP 11.292
<b>ACOMETIDA TIPO TREBOL - COBRE</b>		
31405215001C	C ACOMET 3X2(C)+4(C) AWG Cu- PVC/PE 600V 75°C TRB	COP 83.756
31405170001C	C ACOMET 3x4+6 AWG Cu-PE-FIB/ PVC 600V 75°C TRB CDSA NGO	COP 51.819
31405165001C	C ACOMET 3x6+8 AWG Cu-PE-FIB/ PVC 600V 75°C TRB CDSA NGO	COP 34.052
31405145001C	C ACOMET 3x8+10(S) AWG Cu-PE- FIB/PVC 600V 75°C TRB CDSA NGO	COP 22.208
<b>ACOMETIDA TSEC ANTIFRAUDE - ALUMINIO</b>		
32403283201C	C TSEC 2x6+6 AWG AA8000(B) CPT XLPE SR 600 V90°C XLPE SR	COP 7.300
32403302201C	C TSEC 2x4+4AWG AA8000 (B) CPT XLPE SR 600V 90°C XLPE FR SR	COP 10.500
32404161601C	C TSEC 6+6 AWG AA-8000 XLPE-UV PVC 600V 90°C P4 (CPT)	COP 4.000

Código Procables	Descripción del producto	Precio Lista 73
<b>CABLES EXZHELLENT BW - COBRE</b>		
31352611601C	C EXZHELLENT BW 500 kcmil Cu CPR HFFR LS 600V 75°C CT	COP 180.093
31352611401C	C EXZHELLENT BW 350 kcmil Cu CPR HFFR LS 600V 75°C CT	COP 123.063
31352611301C	C EXZHELLENT BW 300 kcmil Cu CPR HFFR LS 600V 75°C CT	COP 99.183
31352611201C	C EXZHELLENT BW 250 kcmil Cu CPR HFFR LS 600V 75°C CT	COP 87.045
31352611101C	C EXZHELLENT BW 4/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	COP 72.787
31352611001C	C EXZHELLENT BW 3/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	COP 61.532
31352610901C	C EXZHELLENT BW 2/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	COP 45.774
31352610801C	C EXZHELLENT BW 1/0 AWG Cu UNILAY CPR HFFR LS 600V 75°C CT	COP 36.919
31352610601C	C EXZHELLENT BW 2 AWG Cu CPR HFFR LS 600V 75°C CT	COP 22.401
31352610501C	C EXZHELLENT BW 4 AWG Cu CPR HFFR LS 600V 75°C CT	COP 14.257
31352610401C	C EXZHELLENT BW 6 AWG Cu CPR HFFR LS 600V 75°C CT	COP 9.155
31352610301C	C EXZHELLENT BW 8 AWG Cu CPR HFFR LS 600V 75°C CT	COP 6.003
31352610201C	C EXZHELLENT BW 10 AWG Cu CPR HFFR LS 600V 75°C CT	COP 3.977
31352610101C	C EXZHELLENT BW 12 AWG Cu HFFR LS 600V 75°C CT	COP 2.590
31352601001C	C EXZHELLENT BW 14 AWG Cu HFFR LS 600V 75°C NGO	COP 1.883
31352612001C	C EXZHELLENT BW 3x12 AWG Cu CPR HFFR LS 600V 75°C CT RJO/BCO/VDE	COP 7.945
31352612101C	C EXZHELLENT BW 3x12 AWG Cu CPR HFFR LS 600V 75°C CT AZL/BCO/VDE	COP 7.945
<b>CABLES EXZHELLENT BW - ALUMINIO</b>		
32354611601C	C EXZHELLENT BW 500 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 27.479
32354611501C	C EXZHELLENT BW 400 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 24.259
32354611401C	C EXZHELLENT BW 350 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 20.558
32354611301C	C EXZHELLENT BW 300 kcmil AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 18.883
32354611201C	C EXZHELLENT BW 250 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 15.324
32354611101C	C EXZHELLENT BW 4/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 11.712
32354611001C	C EXZHELLENT BW 3/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 11.033
32354610901C	C EXZHELLENT BW 2/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 9.929
32354610801C	C EXZHELLENT BW 1/0 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 7.299
32354610601C	C EXZHELLENT BW 2 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 4.413
32354610501C	C EXZHELLENT BW 4 AWG AA8000 (SIW) CPT HFFR LS 600V 75°C CT	COP 2.953
32354610401C	C EXZHELLENT BW 6 AWG AA8000 (SIW) PT HFFR LS 600V 75°C CT	COP 2.207
<b>SPT-CPE (DÚPLEX) COBRE</b>		
31369100001R	C DUPLEX CPE SPT 2x10 AWG Cu (J) PVC 300V 60°C NGO	COP 6.962
31369081001R	C DUPLEX CPE SPT 2x12 AWG Cu-PVC 300V 60°C NGO	COP 4.307
31369065001R	C DUPLEX CPE SPT 2x14 AWG Cu-PVC 300V 60°C NGO	COP 2.848
31369041001R	C DUPLEX CPE SPT 2x16 AWG Cu-PVC 300V 60°C NGO	COP 1.909
31369019001R	C DUPLEX CPE SPT 2x18 AWG Cu-PVC 300V 60°C NGO	COP 1.249
<b>CABLE SOLDADOR ET 105 °C COBRE</b>		
31366370101C	C SOLDADOR TVE 4/0 AWG Cu (J) 600 V 105°C	COP 74.692
31366350101C	C SOLDADOR TVE 2/0 AWG Cu 600V 375A 105°C	COP 46.309
31366340101C	C SOLDADOR TVE 1/0 AWG Cu 600V 105°C 170A NGO	COP 37.346
31366320101C	C SOLDADOR TVE 2 AWG Cu 600V 105°C 170A NGO	COP 22.625
31366300101C	C SOLDADOR TVE 4 AWG CU 600V 105°C 170 A NGO	COP 15.664
31366280101C	C SOLDADOR TVE 6 AWG Cu 600V 105°C 125A	COP 11.603
<b>CABLE SGT BATERÍA COBRE</b>		
31365320101C	C SGT BATERIA 2 AWG Cu-PVC 75°C NGO	COP 28.194
31365300101C	C SGT BATERIA 4 AWG Cu-PVC 75°C NGO	COP 21.610
<b>THWN-2 FLEXIBLE COBRE</b>		
31354002801C	C THWN-2 6 AWG Cu (J) PVC/NY 600V 90°C G&O II VW1 CT	COP 8.920
31354002601R	C THWN-2 8 AWG Cu (J) PVC/NY 600V 90°C G&O II VW-1 CT (NGO)	COP 5.772
31354240101R	C THWN-2 10 AWG Cu (J) PVC/NY 600V 90°C G&O II VW-1 CT	COP 3.481
31354220101R	C THWN-2 12 AWG Cu (J) PVC/NY 600V 90°C G&O II VW-1 CT	COP 2.393
31354002001R	C THWN-2 14 AWG Cu (FLEX) PVC/NY 600V 90°C G&O II VW-1 NGO	COP 1.595
31354001801R	C TFFN 16 AWG Cu (FLEX) PVC/NY 600V 90°C G&O II VW-1 NGO	COP 941
31354001601R	C TFFN 18 AWG Cu (FLEX) PVC/NY 600V 90°C G&O II VW-1 NGO	COP 667
<b>SUPERFLEX CT COBRE</b>		
31378106101C	C SUPERFLEX 500 Kcmil Cu XLPE FR-SR/PVC 0.6/1 kV 90°C (J) CT	COP 176.940
31378105601C	C SUPERFLEX 400 Kcmil Cu XLPE FR SR/PVC 0.6/1 kV 90°C (J) CT	COP 171.524
31378105101C	C SUPERFLEX 350 Kcmil Cu XLPE FR-SR/PVC 0.6/1 kV 90°C (J) CT	COP 120.377
31378104101C	C SUPERFLEX 250 Kcmil Cu XLPE FR-SR/PVC 0.6/1 kV 90°C (J) CT	COP 89.195
31378103601C	C SUPERFLEX 4/0 AWG Cu XLPE FR SR / PVC 0.6/1 kV 90°C (J) CT	COP 73.096
31378102601C	C SUPERFLEX 2/0 AWG Cu XLPE FR SR / PVC 0.6/1 kV 90°C (J) CT	COP 46.309
31378102101C	C SUPERFLEX 1/0 AWG Cu XLPE FR SR / PVC 0.6/1 kV 90°C (J) CT	COP 37.310
<b>TERMOFLEX COBRE</b>		
31371392401C	C TERMOFLEX 4x14 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 6.672
31371392201C	C TERMOFLEX 3x14 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 5.366
31371392001C	C TERMOFLEX 2x14 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 4.278

Código Procables	Descripción del producto	Precio Lista 73
31371391401C	C TERMOFLEX 4x16 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 4.496
31371391201C	C TERMOFLEX 3x16 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 3.585
31371391001C	C TERMOFLEX 2x16 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 2.901
31371390401C	C TERMOFLEX 4x18 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 3.771
31371390201C	C TERMOFLEX 3x18 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 3.191
31371390001C	C TERMOFLEX 2x18 AWG (FLEX) PVC-NY 600V 90°C PVC	COP 2.321
TERMOFLEX EXZHELLENT		
31352619311C	C EXZHELLENT BW 4x12AWG (FLEX) HFFR-LS/HFFR-LS 600 V 75°C CT	COP 11.800
31376202211C	C EXZHELLENT BW 3x16AWG Cu(FLEX) HFFR-LS/HFFR-LS 600 V 75°C CT	COP 3.700
31376202301C	C EXZHELLENT BW3X14AWG CU FLEX HFFR-LS 600V 75°C HFFR-LS CT	COP 6.100
31376222301C	C EXZHELLENT BW3X12AWG Cu(FLEX)HFFR-LS 600V 75°C HFFR-LS CT	COP 8.800
31376242301C	C EXZHELLENT BW3x10AWG Cu(FLEX HFFR-LS 600V 75C HFFR-LS CT	COP 13.800
TERMOFLEX MULTIPROPÓSITO* COBRE		
31370329401C	C TFLEX MP 4x2 AWG Cu(I) PVC/NY PVC 600V 90°C SR G&O II VW-1CT	COP 120.377
31370309401C	C TFLEX MP 4x4 AWG Cu(I) PVC/NY PVC 600V 90°C SR G&O II VW-1CT	COP 71.066
31370289401C	C TFLEX MP 4x6 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 43.510
31370289301C	C TFLEX MP 3x6 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 30.457
31370289201C	C TFLEX MP 2x6 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 23.930
31370269401C	C TFLEX MP 4x8 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 27.556
31370269301C	C TFLEX MP 3x8 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 19.579
31370269201C	C TFLEX MP 2x8 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 15.518
31370249401C	C TFLEX MP 4x10 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 16.244
31370249301C	C TFLEX MP 3x10 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 12.763
31370249201C	C TFLEX MP 2x10 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 10.007
31370229401C	C TFLEX MP 4x12 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 11.456
31370229301C	C TFLEX MP 3x12 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 8.412
31370229201C	C TFLEX MP 2x12 AWG Cu(FLEX) PVC/NY 600V 90°C PVC SR CT	COP 7.107
ACSR		
32480055000C	C ACSR 4/0 AWG PENGUIN	COP 7.510
32480040000C	C ACSR 2/0 AWG QUAIL	COP 5.506
32480035000C	C ACSR 1/0 AWG RAVEN	COP 4.167
32480025000C	C ACSR 2 AWG SPARROW	COP 2.677
32480010000C	C ACSR 4 AWG SWAN	COP 1.647
BICAPA		
32580401101C	CBRTO 266,8 Kcmil ACSR (18/1) CPT XLPE TK 15kV 90C BCPA	COP 21.662
32580371101C	CBRTO PENGUIN 4/0 AWG ACSR (6/1)CPT XLPE TK 15KV90°C BCPA	COP 17.486
32580351101C	CBRTO QUAIL 2/0 AWG ACSR CPT XLPE TK 15kV 90°C BCPA	COP 13.198
32580341301C	C CUBIERTO RAVEN 1/0 AWG ACSR (6/1)CPT XLPE-TK15kV90C BICAPA	COP 12.515
32580321101C	CBRTO SPARROW 2 AWG ACSR CPT XLPE TK 15kV 90°C BCPA	COP 8.919
CABLE TRIPLEX Y CUADRUPLEX		
32436832400C	C CPLEX 3x95 mm² AAC CPR XLP SR + 50 mm² AAAC XLPE SR 600V 90°C	COP 33.626
32437398500C	C CPLEX 3x70 mm²+50mm² AAAC XLP 0.6/1 kV 90°C	COP 26.880
32436802400C	C CPLEX 3x35 mm² AAC CPR XLP SR + 50 mm² AAAC XLPE SR 600V 90°C	COP 17.276
32431747000C	C TPX 2x4/0 AWG+246.9 kcmil AAAC XLPE 0.6/1 kcmil AAAC /XLP 0.6/1	COP 31.756
32431745100C	C TPX 2x2/0 AWG AAC(B) XLPE SR+155,4 kcmil AAAC XLPE SR 600V 90°C AAAC 600V 90°C	COP 21.338
32431691000C	C TPX 2x1/0 AWG AL XLPE-SR+123,3 kcmil AAAC/XLPE-UV 600V kcmil AAAC/XLP 0.6/1	COP 18.708
32431690000C	C TPX SHRIMP/XLP-FR 2x2+77.47 kcmil AAAC /XLP +77.47 kcmil AAAC /XLP	COP 12.413
32431600300C	C TPX COCKLE 2x2 AWG AAC XLPE FR+4 AWG ACSR 600V 90°C	COP 10.038
32431585100C	C TPX PERIWINKLE/XLFR 2x4+4 AWG ACSR 600V 90°C AWG ACSR 600V 90°C	COP 7.600
CABLES RHW		
32356439101C	C RHW-2 500KCMIL AA 8000 (SIW)	COP 26.325
32356402101C	C RHW-2/USE-2 350Kcmil AA8000	COP 19.787
32356386101C	C RHW-2/USE-2 250kcmilALAA8000	COP 15.215
32356379101C	C RHW-2 4/0 AWG AA8000-CPT	COP 12.046
32356369101C	C RHW-2 3/0AWG AA 8000 (SIW)	COP 10.668
32356359101C	C RHW-2 2/0 AWG AA8000-CPT	COP 10.077
32356349101C	C RHW-2 1/0AWG AA 8000 (SIW)	COP 7.145
32356329101C	C RHW-2 2 AWG AA8000-CPT	COP 4.397
32356304101C	C RHW-2/USE-2 4 AWG AA 8000	COP 3.005
32356284101C	C RHW-2/USE-2 6AWG AL AA8000-B	COP 2.254
CABLES XHHW ALUMINIO		
32356438101C	C XHHW-2 500 kcmilAA8000(SIW)	COP 26.826
32356408101C	C XHHW-2 350 kcmil AA8000(SIW)	COP 20.164
32356388101C	C XHHW-2 250kcmil AA8000 (SIW)	COP 15.505
32356378101C	C XHHW-2 4/0 AWG AA8000 (SIW)	COP 12.275
32356358101C	C XHHW-2 2/0 AWG AA 8000 (SIW)	COP 10.269
32356348101C	C XHHW-2 1/0AWG AL AA8000(SIW)	COP 7.282

Código Procables	Descripción del producto	Precio Lista 73
32356328101C	C XHHW-2 2AWG AL AA8000(SIW)	COP 4.481
CABLES XHHW COBRE		
31356431101C	C XHHW-2 500kcmil Cu(B) CPR	COP 183.416
31356408101C	C XHHW-2 350 Kcmil Cu (B) CPR	COP 129.808
31356361101C	C XHHW-2 3/0 AWG(UDC) CPR XLPE	COP 62.017
31356341101C	C XHHW-2 1/0 AWG UDC CPR XLPE	COP 39.998
31356321101C	C XHHW-2 2 AWG CU(B) CPR XLPE	COP 25.037
31356301101C	C XHHW-2 4AWG Cu(B) CPR XLPE	COP 16.829
31356035001C	C XHHW-2 6 AWG Cu 600V 90°C 7H NGO	COP 10.249
CABLES SOLARES/FOTOVOLTAICOS		
31399000693C	C PV 4mm2 Cu (FLEX) XLPE SR 2000V 90°C PVC NGO/RJO	COP 4.300
31399000601C	C PV 4mm2 Cu (FLEX) XLPE SR 2000V 90°C PVC	COP 4.300
31399000701C	C PV 6mm Cu(FLEX) XLPE SR 2000V 90°C PVC	COP 6.100
31399000793C	C PV 6mm Cu(FLEX) XLPE SR 2000V 90°C PVC NGO/RJO	COP 6.100
CINTAS		
89490001001	19mm x 4,5m x 0,18mm - NEGRO	COP 1.040
89490001101	19mm x 9,1m x 0,18mm - NEGRO	COP 1.670
89490001201	19mm x 18,2m x 0,18mm - NEGRO	COP 2.960
CABLES REDES LAN		
81471200004R	C UTP DRAKA UC HOME 4P 26AWG CAT 5E U/UTP CMX (AZL)	COP 737
88490009104R	C LAN 4PX24 AWG GIGABIT CAT6 UTP LSZH CZ CX (EXP) Azul	COP 1.175